




Ship Via:



Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Lead Time	Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier			
90	Start up Operation	1 Ea	4/29/19	4/29/19	0.00	0.00	Start Up Stores/Pkg-1			APR 17 2019
110	Packaging	1 pcs	4/29/19	4/29/19	0.00	0.00	Packaging1-4			APR 29 2019
113	Small Fab - 2 - B4B	1 pcs	4/29/19	4/29/19	0.00	1.00	External Load - 1 - B4B			
							External Load - 2 - B4B			
							External Load - 3 - B4B			
							Small Fab - 1 - B4B			
							Small Fab - 2 - B4B			
							Small Fab - 3 - B4B			
							Small Fab - 4 - B4B			
							Small Fab - 5 - B4B			
							Small Fab - 6 - B4B			
							Small Fab - 7 - B4B			
116	QC 5	1 pcs	4/29/19	4/29/19	0.00	0.00	QC 5 - 10			
							QC 5 - 12			
							QC 5 - 17			
							QC 5 - 18			
							QC 5 - 19			
							QC 5 - 22			
							QC 5 - 24			
							QC 5 - 3			
							QC 5 - 43			
							QC 5 - 49			
							QC 5 - 51			
							QC 5 - 58			
							QC 5 - 68			
							QC 5 - 9			
							QC 5 - 50			
							QC 5 - 30			
							QC 5 - 40			
120	QC	1 pcs	4/29/19	4/29/19	0.00	0.00	QC4			
125	Outsource	1 pcs	4/29/19	4/29/19	0.00	0.00	Outsource10			
130	Packaging	1 pcs	4/29/19	4/29/19	0.00	0.00	Packaging3-1			
135	DC	1 pcs	4/29/19	4/29/19	0.00	0.00	DC			
140	QC21-FG	1 Ea	4/29/19	4/29/19	0.00	0.00	QC21			

Part Op 113 - REPLACE RECEPTACLE KIT AS PER DSI9815 ***TOUGH UP WITH PRIMER AND PAINT AS PER DSI***

Descriptions: 125 - Issue PO to GL account 50000-25 to LEAVE W/O OPEN UNTIL SOLD PO HB043760 (Send copy of PO to Pall - James) Issue W/O LINE item for Pall for amount sold on sales order S/O 14455 according to sales price see Warran for amount. (if sale price is \$23,000 - amount is \$13,400) PO can be received immediately and given to finance in order to close work order.

130 - Identify and pack for shipping as per PPP D350-822-011

135 - Photocopy bluefile & type labels per PPP D350-822-011 CHG005

009309

Store

3

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
650.0401	Pureair Fairing Assembly	1 pcs (1 ea)	90-Start up Operation	5132011
9752100180	Gasket	1 Ea (1 ea)	90-Start up Operation	5170355
9945000120	Gasket (for B3e models)	1 pcs (1 ea)	90-Start up Operation	5116594
AN821-12J	Elbow (or AN821-12K or 12S)	2 Ea (2 ea)	90-Start up Operation	5166608
AN929-12J	Cap	1 Ea (1 ea)	90-Start up Operation	5167336
D4925-041	Mounting Plate Assembly	1 pcs (1 ea)	90-Start up Operation	5156015
D4931-1	Engine Fitting (for acft models B2 & previous)	1 pcs (1 ea)	90-Start up Operation	5135837
D4931-3	Engine Fitting (For B3 Models)	1 pcs (1 ea)	90-Start up Operation	5164286
D4931-5	Engine Fitting (for B3e models)	1 pcs (1 ea)	90-Start up Operation	5164968
D4935-1	Mounting Bracket	6 pcs (6 ea)	90-Start up Operation	5136503
D4943-1	Flex Hose	1 pcs (1 ea)	90-Start up Operation	5169732
D4961-041	Tube Assembly	1 pcs (1 ea)	90-Start up Operation	5167221
D4961-043	Tube Assembly	1 pcs (1 ea)	90-Start up Operation	5150702
D5079-1	Placard, Eaps	2 pcs (2 ea)	90-Start up Operation	5150985
D5090-041	Duct Assembly	1 pcs (1 ea)	90-Start up Operation	5129836
D5105-1	Handle	2 pcs (2 ea)	90-Start up Operation	5150312
D5110-1	Swivel Nut Fitting	1 pcs (1 ea)	90-Start up Operation	5149881
D5179-1	Doubler	2 pcs (2 ea)	90-Start up Operation	5118074
D5179-3	Doubler	2 pcs (2 ea)	90-Start up Operation	5118072
D5194-1	Doubler	2 pcs (2 ea)	90-Start up Operation	5163492
D5208-041	Blanking Plate Assembly	3 pcs (3 ea)	90-Start up Operation	5163322
LN9038-05012	Bolt	36 pcs (36 ea)	90-Start up Operation	5116942 X 16
LN9038-05040	Bolt	1 pcs (1 ea)	90-Start up Operation	5119842
LN9348-05	Nut	32 pcs (32 ea)	90-Start up Operation	5157955
MS20470AD3-4	Rivet, Universal Head	18 Ea (18 ea)	90-Start up Operation	FM136665-40
MS21919WCH12	Clamp	1 Ea (1 ea)	90-Start up Operation	5115303
MS9592-138	Bracket	1 pcs (1 ea)	90-Start up Operation	5116950
NAS1149D0332J	Washer	70 Ea (70 ea)	90-Start up Operation	5135473
NAS43DD3-64	Spacer	1 Ea (1 ea)	90-Start up Operation	5116952
22208CM050016E	Screw	2 pcs (2 ea)	90-Start up Operation	5126521
23350CA050	Washer	2 Ea (2 ea)	90-Start up Operation	5013736
9945000160	Gasket	1 Ea (1 ea)	90-Start up Operation	5119892
D5526-1	Upper Hose Protector	1 pcs (1 ea)	90-Start up Operation	5175165
D5526-3	Lower Hose Protector	1 pcs (1 ea)	90-Start up Operation	5175576
LN9038-05016	Bolt	2 pcs (2 ea)	90-Start up Operation	5117992
BS4320-A5	Washer	56 Ea (56 ea)	110-Packaging	5179479
LN29985-A05	Anchor Nut	15 pcs (15 ea)	110-Packaging	5179481
LN9038-05018	Bolt	56 pcs (56 ea)	110-Packaging	5179482
MS20426AD3-3	Rivet	40 Ea (40 ea)	110-Packaging	5179483
QB21304	Pureair Panel Assembly	1 pcs (1 ea)	110-Packaging	5179476
QB21306	Fod Screen Assembly	1 pcs (1 ea)	110-Packaging	5179477
QB21310	Transition Duct Assembly	1 pcs (1 ea)	110-Packaging	5179478
QR10616	Vortex Tube Repair	1 pcs (1 ea)	110-Packaging	5179480
LN9038-05016	Bolt	2 pcs (2 ea)	110-Packaging	5179480
DST 9815-011	Replacement Receptacle	1 pcs (1 ea)	113-Small Fab - 2 - B4B	

5174985

514552 X 19

5185078
5185079
5185083
5185087
5185073
5185075

DS726-1 x1

736 sealant x1

per ECU 19-639

5179400

5174441

Job Allocations				
Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	22208CM050016E	2	52	0
	23350CA050	2	64	0
	650.0401	1	15	0
	9752100180	1	16	0
	9945000120	1	18	0
	9945000160	1	24	0
	AN821-12J	2	35	0
	AN929-12J	1	23	0
	D4925-041	1	9	0
	D4931-1	1	15	0
	D4931-3	1	12	0
	D4931-5	1	10	0
	D4935-1	6	45	0
	D4943-1	1	21	0
	D4961-041	1	12	0
	D4961-043	1	15	0
	D5079-1	2	46	0
	D5090-041	1	5	0
	D5105-1	2	16	0
	D5110-1	1	20	0
	D5179-1	2	11	0
	D5179-3	2	12	0
	D5194-1	2	21	0
	D5208-041	3	14	0
	D5526-1	1	3	0
	D5526-3	1	1	0
	LN9038-05012	36	493	0
	LN9038-05016	2	80	0
	LN9038-05040	1	43	0
	LN9348-05	32	515	0
	MS20470AD3-4	18	5,679	0
	MS21919WCH12	1	41	0
	MS9592-138	1	34	0
	NAS1149D0332J	70	3,478	0
	NAS43DD3-64	1	24	0
110-Packaging	BS4320-A5	56	6	0
	LN29985-A05	15	429	0
	LN9038-05016	2	80	0
	LN9038-05018	56	1,255	0
	MS20426AD3-3	40	1,346	0
	QB21304	1	0	0
	QB21308	1	0	0
	QB21310	1	0	0
	QR10616	1	0	0
	DSI 9815-011	1	26	0
Part Specifications				
Specifications could not be found.				

Change Record

PAGE 1 OF 1

Part Number: D350-822-011

Description: PA100 PUREAIR SYSTEM

[illegible]

5.0 PARTS LIST

QTY -011	QTY -013	PART NUMBER	DESCRIPTION
X		D350-822-011	PA100 PUREAIR SYSTEM
	X	D350-822-013	PA100 PUREAIR PROVISIONS
1		QB05008	PUREAIR SYSTEM
1**		QR10616	TUBE REPAIR KIT
1**		QB21304	PUREAIR PANEL ASSY
1**		QB21310	TRANSITION DUCT ASSY
1**		QB23753	FOD SCREEN ASSY (REPLACES QB21308)
15**		LN29985-A05	ANCHOR NUT
56**		LN9038-05018	BOLT
56**		BS4320-A5	WASHER
40**		MS20426AD3-3	RIVET
1	1	650.0401	PUREAIR FAIRING ASSY
1	1	D4925-041	MOUNTING PLATE ASSY
1*	1*	D4931-1	ENGINE FITTING
1*	1*	D4931-3	ENGINE FITTING
1*	1*	D4931-5	ENGINE FITTING
6	6	D4935-1	MOUNTING BRACKET
1	1	D4943-1	FLEX HOSE
1	1	D4961-041	TUBE ASSEMBLY
1	1	D4961-043	TUBE ASSEMBLY
2	2	D5079-1	PLACARD
1	1	D5090-041	DUCT ASSEMBLY
2	2	D5105-1	HANDLE
1	1	D5110-1	SWIVEL NUT FITTING
2	2	D5179-1	DOUBLER
2	2	D5179-3	DOUBLER
2	2	D5194-1	DOUBLER
3	3	D5208-041	BLANKING PLATE ASSY
1	1	D5526-1	HOSE PROTECTOR
1	1	D5526-3	HOSE PROTECTOR
1	1	D5721-1	HEAT BARRIER
2	2	23350CA050	LOCKING TAB
1*	1*	9752100180	GASKET
1*	1*	9945000120	GASKET
1*	1*	706A33-201-001	GASKET (OR 9945000160)
2	2	22208CM050016E	SCREW
1	1	736	HEAT RESISTANT SEALANT
2	2	AS1034J1212	ELBOW (OR AN821-12K OR AN821-12S OR AN821-12J)
1	1	AN929-12J	CAP
70	70	BS4320-A5	WASHER (OR NAS1149D0332J)
36	36	LN9038-05012	BOLT
2	2	LN9038-05016	BOLT
1	1	LN9038-05040	BOLT
32	32	LN9348-05	NUT
18	18	MS20470AD3-4	RIVET
1	1	MS21919WCH12	CLAMP (OR MS21919WHG12)
1	1	MS9592-138	BRACKET
1	1	NAS43DD3-64	SPACER

* USE APPROPRIATE FITTING/GASKET BASED ON ENGINE INSTALLATION

** PART OF QB05008 ABOVE

• COPYRIGHT © 2016 BY DART AEROSPACE LTD •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: I

Date: 19.03.15



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

ORDER ACKNOWLEDGEMENT

CUSTOMER

Customer Code: CAIRM02

Sold To: Guardian Flight LLC

209 State Hwy 121 Bypass
Lewisville, TX 75067
USA
Phone: (682) 777-1013
Fax: 801-619-8077

Ship To: Guardian Flight LLC

Dallas Completion Center, 5433 Saturn Drive,
Hangar A
Dallas, TX 75237
USA

ORDER

Order No : 14455

Date: 3/13/19

Ship-To Contact: Sean Erhardt

Email: seanerhardt@amrg.com

Cust PO No: 006313

FOB: Shipping Point

Ship Via:

Freight Terms: PrePaid

Terms: Net 30

INCO Terms: Ex Works

Order Taker: Caitlin Crooks

Order Taker Phone:

Order Taker Email: ccrooks@dartaero.com

Line No	Due Date	Ship Date	Part	Description/Note	Quantity	Unit	Price	Unit	Extended Price
1	4/24/19	4/24/19	D350-822-011	PA100 PUREair System for AS350/EC130	1	pcs	\$25,000.00USD	pcs	\$25,000.00 USD
Sub Total									\$25,000.00 USD
Grand Total									\$25,000.00 USD

ORDER NOTES

****"please do not ship unit until the new hoses have arrived"****

FedEx 2nd Day ACCT#231230904

TAX ID #27-4636460

Remit to: DART Aerospace Ltd., 1270 Aberdeen Street, Hawkesbury, Ontario K6A 1K7 Canada

Tel: 613 632 5200

Fax: 613 632 5246

accounting@dartaero.com

GST/HST 10127 2607

Note: A minimum 15% restocking fee is applicable. Custom items are non-refundable. Full warranty details are available at www.dartaerospace.com

International / US Wires:


Swift Code: CHASUS33 Bank Routing #: 021000021 Account #: 133281000

Bank Name: JPMorgan Chase Bank 201 St. Charles Ave., New Orleans, LA USA 70170

Account Name: DART Aerospace Ltd.

Notification October 2018: Our banking information has remained unchanged

Latest Revision Provided Unless Otherwise Requested

1. Approving Competent Authority/Country Civil Aviation Authority/ United Kingdom		AUTHORISED RELEASE CERTIFICATE EASA FORM 1			3. Form Tracking Number: 0153175	
4. Organisation Name and Address: PALL Pall Corporation PALL EUROPE LTD. Pall Aerospace Division Cardrew Industrial Estate, Redruth, Cornwall, TR15 1SS, UK Tel No. 00 44 (0)1209 884200 Fax No. 00 44(0)1209 884310					5. Work Order/Contract/ Invoice: 4503324242	
6. Item	7. Description	8. Part No.	9. Qty	10. Serial No.	11. Status/Work	
1	PUREair AC Kit Iss 4	QB05008	3	RF5-3719 to 3721 inc	New	
12. Remarks Dart Aerospace Ltd 1270 Aberdeen Street Hawkesbury K6A 1K7 Ontario CANADA Pall Aerospace Batch No. RD19006343 DDP 642 Iss C REFERS. <i>Note - QB05008 is a Kit of following parts: QB21304, QB21310 & QB23753</i> (PALL REF - SAP ITEM No: 40) Guidance and information on disposal / recycling of this product at the end of its life can be obtained from the "Disposal Instruction Guidance" section on Pall web site: https://aerospace.pall.com/en/disposal-instructions.html Order No. "STO" Order. <i>This document has been issued according to an approved computer-generated signature procedure.</i>						
13a. Certifies that the items identified above were manufactured in conformity to: ☒ approved design data and are in a condition for safe operation ☐ non-approved design data specified in block 12			14a. Certifies that unless otherwise specified in block 12, the work identified in block 11 and described in block 12 was accomplished in accordance with Part 145 and in respect to that work the items are considered ready for release to service.			
13b. Authorised Signature  Electronic Signature on File		13c. Approval/Authorisation Number UK.21G.2630		14b. Authorised Signature		14c. Certificate/Approval Ref. No UK.145.00296
13d. Name Ian England - Team Leader EAPs - 3105		13e. Date (dd mmm yyyy) 20 May 2019		14d. Name		14e. Date (dd mmm yyyy)
USER/INSTALLER RESPONSIBILITIES This certificate does not automatically constitute authority to install. Where the user/installer performs work in accordance with regulations of an airworthiness authority different than the airworthiness authority specified in block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts items from the airworthiness authority specified in block 1. Statements in blocks 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						



8003510005

Replen. Cross-Company

Shipper

Ship-To-Address

Dart Aerospace
1270 Aberdeen Street
HAWKESBURY ON K6A 1K7
CANADA

Sold-To-Address

Pall Aeropower Corporation
10540 Ridge Road, STE 202
NEW PORT RICHEY FL 34654-5198
USA

Information

Pall VAT: GB107772467
Document Number: 8003510005
Document Date: 05/21/2019
Customer PO No.: See Below
Customer PO Date: See Below
Our Return PO No.: 4503324242
WEEE-(EAR)-Reg. No.: WEE/HG0078UU

We would like to thank you for your order. Please refer to the terms & conditions on the reverse of this document.

Carrier:	BWAY	Number of Packages:	1
Consignment Ref:	X	Total Weight:	70.000 KG
Country of Dispatch:	United Kingdom	Net Weight:	50.000 KG
		Dimensions:	1 HEAT TREATED JAXPAL. 70 KG. 124X105X106 CMS

Item/ PO Item	Material/ Description	Quantity	Outstanding Quantity	Hazardous Goods	EU- Origin
10	QB05008 ✓ ASSEMBLY SEPERATOR ENGINE AIR PARTICLE ASSEMBLY SEPERATOR ENGINE AIR PARTICLE Batch: RD19006343 Customer PO No. & Date : POH13043573 Sales Order No. :	✓ 3 EA	0 EA	No	No

RECEIVED

MAY 29 2019

DART AEROSPACE LTD.

Certificate of Conformance


We hereby certify that unless otherwise stated, the whole of the supplies detailed herein conform in all respects to Pall Specifications. The controls exercised are in accordance with our Quality Management System and where specified by Pall applicable national and international regulatory requirements.

SignedHeike Idink.....

For and on behalf of Pall Corporation

UNCONTROLLED DOWNLOADED COPY

Valid on 26 Apr 2019 only.



PRODUCTION ACCEPTANCE TEST CERTIFICATE

This is an Electronically controlled document which is maintained with Full Password Access for all users. The "Insp Stamp" column relates to an individual whose password is electronically controlled, a "wet stamp" is therefore no longer required.

Test Unit Desc	Centrisep EAPS	Report No:	FC1021
Drawing No	QB05008	Serial No.	RFS-3721
Part No	QB05008	Batch No.	RD19006343
ECR / Concession No	ECR R49216 + R49327 Refers		
Cust Spec	RSB05008	Test Sched	ATPB05008
Test Fluid	Air	Test Set-up	ED BROMLEY
Rig Or Test No		Assembler	PETE DONNELLY
Comment	MQC 3105	Clock No.	08003105
Insp/Approved By		Tester	IAN ENGLAND
		Date	18/05/2019

	PROCEDURE	REQUIREMENT	RESULT	Pass/Fail
3.1	Check that the label requirements and part marking are in accordance with Sheet 2	Confirm	CONFIRMED	PASS
3.2	Ensure the QB05008 assembly conforms to the QB05008 Sheet 2 dimensions.	Confirm	CONFIRMED	PASS
3.3	Check the weight of the unit does not exceed 10kg.	Confirm	8.5 Kg	PASS
3.4	Check that proof pressure and crack detect tests have been performed on manifold.	Confirm JOB N° 103264831 OP 0060	CONFIRMED	PASS
3.5	Check FOD screen mesh is intact with no broken mesh strands or irregular deformation.	Confirm	CONFIRMED	PASS
3.6	Check FOD screen receptacles are secure with no movement under finger pressure.	Confirm MQC 3105	N/A NOT FITTED ECR R49216	PASS
3.7	Check FOD screen fits securely to receptacle plate and all 4 off studs engage positively with their corresponding receptacles.	Confirm MQC 3105	N/A NOT FITTED ECR R49216	PASS
3.8	Check retaining washer has been added to 4 off quarter turn studs.	Confirm MQC 3105	N/A NOT FITTED ECR R49216	PASS
3.9	Check manifold port thread engagement. Ensure protective cap is fitted.	Confirm	CONFIRMED	PASS
3.10	Check electrical bonding resistance is equal to or less than 100 milliohms.	Confirm	18 mOhms	PASS
4.1	Check overall unit cleanliness.	Confirm	CONFIRMED	PASS
4.1a	Check there are no material imperfections or foreign matter embedded.	Confirm	CONFIRMED	PASS
4.1b	Check surface for unclean, rough, misaligned or containing cracks, nicks or other flaws.	Confirm	CONFIRMED	PASS

UNCONTROLLED DOWNLOADED COPY

4.1 c	Check for any components that are missing, malformed, fractured or otherwise damaged.	Confirm	CONFIRMED	PASS
4.1 d	Check for any components that are loose or otherwise not securely retained.	Confirm	CONFIRMED	PASS
4.1 e	Check for incorrect assembling or improper positioning of components.	Confirm	CONFIRMED	PASS
4.1 f	Check for faulty workmanship or other irregularities e.g. Marking. Check for missing, insufficient, incorrect, illegible or non permanent text.	Confirm	CONFIRMED	PASS
4.1 g	Check to ensure all components are installed and secured in accordance with drawing instructions.	Confirm	CONFIRMED	PASS
4.1 h	Check that unit is free from all foreign objects: e.g. Swarf and rivet tails. Ensure unit is properly painted and is in a clean condition. Visually check unit for workmanship, no damage is permissible.	Confirm	CONFIRMED	PASS
	PASS/FAIL			
RESULTS OF TEST :- PASS				
FINAL INSPECTION APPROVAL :-				

DOM 2015

DOM 2015

DOM 2015

MQC 3105